

TORRO



TORRO

Torro - BS 7176 Low Hazard Cigarette & Match



Electric 8133

Torro is a lightly embossed Faux Leather (PU - polyurethane) upholstery fabric

- * Environmentally friendly
- * It is very flexible and has excellent upholstery properties
- * Breathable and soft to touch which makes a very comfortable seating product
- * Suitable for both contract and residential applications


TORRO



Polar 0001



Jonquil 7800



Jaffa 7386



Pumpkin 7801



Mercury 6790



Valentino 7390



Paradise 7388



Topaz 8134



Apple 7796




Truffle 6873




Haze 7382




Electric 8133



Sorbet 7389



Praline 6780




Ochre 6787




Horizon 7387




Metallic 6259 *m




Hide 7385



Merlot 5805



Midnight 5990



Ebony 0016

Please note *m denotes Metallic Shade

www.bradburyfabrics.com/samples
To order samples visit our online samples service

Application	Upholstery Fabric
Composition	54.2% Polyurethane, 26.3% Polyester 19.5% Cotton
Width	140cm ± 2%
Weight	440gms/m ²
Abrasion	BS EN ISO 5470-2:2003 Method 1 100,000 Rubs
Flexing Methods	Schildknecht method of ISO 7854:1997 >700,000 cycles
Flame Retardancy	BS EN 1021-1:2006 (Cigarette) BS EN 1021-2:2006 (Match) BS 7176:2007 Low Hazard <i>Note: Flammability performance is dependant on foam used.</i>
Light Fastness	BS EN ISO 105 - B02:1999 - 5+
Fastness to Rubbing Wet & Dry	BS EN ISO 105 - X12:2002 - 5 5 Lengthway, 5 Widthway (Wet & Dry)
Tensile Strength	BS EN ISO 13934-1:1999 Lengthway 710N, Widthway 450N
Tear Resistance	BS EN ISO 13937-2:2000 Torn across length 80N, Torn across width 48N
Sea Water Fastness	BS EN ISO 105 - E02:1996 - 5
Colour Matching	Batch to batch variations in shade may occur within commercial tolerances. We recommend that fabric be examined before use as no claims will be considered after cutting.
Availability	Torro generally ex-stock.
Product Development	We reserve the right to change the specification of our product in line with our product development programme without notice.
Fabric Care and Maintenance	Use a damp clean cloth with a solution of mild soap and lukewarm water or an alcohol based solution.
Technical Assistance	Our technical staff will be pleased to offer advice on F.R. and other technical matters. Please note that ultimate seam performance is dependent on seam construction and needle and thread type. We recommend that appropriate sewing advice be taken.

Bradbury Contract Fabrics

Britannia Mills, Crosland Moor, Huddersfield, West Yorkshire, UK HD1 4TW.

UK Sales Tel: +44 (0)1484 648182 Fax: +44 (0)1484 648669

Email: sales@bradburyfabrics.com

Website: www.bradburyfabrics.com : @bradburyfabrics



FM545240